# SSC Junior Engineer Exam Paper - 2016 "held on 02 March 2017 "Morning Shift

QID: 801 - A football was inflated to a gauge pressure of 1 bar when the ambient temperature was 15°C. When the game started next day, the air temperature at the stadium was 5°C. Assume that the volume of the football remains constant at 2500 cm3. Gauge pressure of air to which the ball must have been originally inflated so that it would equal 1 bar gauge at the stadium is \_\_\_\_\_.

## **Options:**

- 1) 2.23 bar
- 2) 1.94 bar
- 3) 1.07 bar
- 4) 1 bar

Correct Answer: 1.07 bar

QID: 802 - The engine oil at 150 °C is cooled to 80 °C in a parallel flow heat exchanger by water entering at 25 °C and leaving at 60 °C. The exchanger effectiveness will be \_\_\_\_\_.

#### **Options:**

- 1) 0.36
- 2) 0.46
- **3**) 0.56
- **4**) 0.66

Correct Answer: 0.56

**QID**: 803 - The atomic packing factor is the highest in which of the following cubic lattice system?

#### **Options:**

- 1) Simple Cubic
- 2) Body Centered Cubic (BCC)
- 3) Face Centered Cubic (FCC)
- 4) Diamond Cubic

Correct Answer: Face Centered Cubic (FCC)

QID: 804 - The valves mounted on the boilers which change the direction of flow of steam by 90° and valves fitted in the pipelines which allow the steam in the same direction are respectively called as \_\_\_\_\_.

#### **Options:**

- 1) Stop valves and junction valves
- 2) Junction valves and stop valves
- 3) Junction valves and safety valves
- 4) Feed safety valves and stop valves

**Correct Answer:** Junction valves and stop valves

**QID**: **805** - Which of the following are boiler mountings and not boiler accessories?

- A] Pressure gauge
- B] Air preheater
- C] Superheater

## **Options:**

- 1) B and C only
- **2**) A only
- **3**) A, B and C
- 4) A and C only

Correct Answer: A only

QID: 806 - Entropy is a measure of \_\_\_\_\_.

#### **Options:**

- 1) Reversible heat transfer
- 2) System efficiency
- 3) Degree of randomness
- 4) System temperature

Correct Answer: Degree of randomness

**QID**: **807** - Gibbs free energy is considered at which one of the following condition?

#### **Options:**

1) Isothermal, isochoric

2) Isobaric, isochoric

3) Isothermal, isobaric

4) None of these

Correct Answer: Isothermal, isobaric

**QID**: **808** - In vapour absorption refrigeration systems, which of the following fluids are commonly used?

## **Options:**

1) air and water

2) sulphur dioxide and water

3) ammonia and water

4) freon and water

Correct Answer: ammonia and water

QID: 809 - In a cross compound steam engine

\_\_\_\_

#### **Options:**

1) one high and one low pressure cylinder are set side by side, driving the same shaft, cranks being set 90° apart

2) two cylinders are centred on the same piston rod, the 1.p. cylinder being placed nearest the crankshaft

- 3) two cylinders are set at 90°, usually to save floor space
- 4) None of these

**Correct Answer:** two cylinders are centred on the same piston rod, the 1.p. cylinder being placed nearest the crankshaft

**QID**: **810** - Which of the following is expected to have highest thermal conductivity?

## **Options:**

- 1) steam
- 2) solid ice

- 3) melting ice
- 4) water

Correct Answer: solid ice

QID: 811 - A reversible thermodynamic cycle containing only three processes and producing work is to be constructed. The constraints are

- A. there must be one isothermal process
- B. there must be one isentropic process
- C. maximum and minimum cycle pressures and the clearance volume are fixed, and
- D. polytropic processes are not followed Then, the number of possible cycles is

## Options:

- **1**) 1
- **2**) 2

**3**) 3

**4**) 4

#### Correct Answer: 1

**QID**: 812 - Which combination of the following statements is correct?

The incorporation of re-heater in a steam power plant

- A. Always increases the thermal efficiency of the plant
- B. Always increases the dryness fraction of steam at condenser inlet
- C. Always increases the main temperature of heat addition
- D. Always increases the specific work output

#### **Options:**

- 1) A and D only
- 2) B and D only
- 3) A, C and D only
- 4) A, B, C and D

Correct Answer: A, B, C and D

QID: 813 - The amount of heat required to raise the temperature of 1 kg of water from 0°C to the saturation temperature Ts °C at a given constant pressure is defined as \_\_\_\_\_.

#### **Options:**

1) Superheat

2) Entropy

3) Latent heat

4) Sensible heat

Correct Answer: Sensible heat

QID: 814 - The enthalpy of steam is defined as

\_\_\_\_\_

## **Options:**

- 1) Difference of internal energy and product of pressure and volume.
- 2) Product of internal energy and pressure.
- 3) Sum of internal energy and product of pressure and volume.
- **4**) Amount of heat change divided by the absolute temperature.

**Correct Answer:** Sum of internal energy and product of pressure and volume.

**QID**: **815** - What are the advantages of water tube boilers over fire tube boilers?

- A. Steam at higher pressures can be produced.
- B. More effective heat transfer.
- C. Sediment deposition is more.

## **Options:**

- **1**) A only
- 2) A and C only
- 3) A, B and C
- 4) A and B only

Correct Answer: A and B only

**QID**: **816** - What is the state, in which none of the properties of the system change with time, known as?

## Options:

- 1) Unsteady state
- 2) Steady state
- 3) Dynamic
- 4) Quasistatic

Correct Answer: Steady state

QID: 817 - The rate of heat transfer across any plane normal to the x-direction is proportional to the wall area and the temperature gradient in the x-direction.

This statement is also referred to as \_\_\_\_\_.

## **Options:**

- 1) Second Law of Thermodynamics
- 2) Kelvin's Law
- 3) Third Law of Thermodynamics
- 4) Fourier's Law

Correct Answer: Fourier's Law

**QID**: 818 - The critical temperature of a pure substance is defined as

#### Options:

- 1) The minimum temperature at which solid and liquid phases can coexist in equilibrium.
- 2) The maximum temperature at which solid and liquid phases can coexist in equilibrium.
- 3) The minimum temperature at which vapour and liquid phases can coexist in equilibrium.
- 4) The maximum temperature at which vapour and liquid phases can coexist in equilibrium.

**Correct Answer:** The maximum temperature at which vapour and liquid phases can coexist in equilibrium.

**QID**: 819 - Which of the following is the correct expression for the maximum thermal efficiency  $(\eta)$  of a system undergoing a reversible power cycle while operating between thermal reservoirs at temperatures Tc and Th

## Options:

1)  $\eta = Tc/Th$ 

2) η = Th/Tc-1	Correct Answer: Boiler efficiency, turbine efficiency
3) η = 1-Tc/Th	and generator efficiency
4) $\eta = 1$	QID: 824 - Heat transfer by radiation mainly depends
Correct Answer: η = 1-Tc/Th	upon
QID: 820 - In actual refrigeration systems, the	Options:
compressor handles vapour only. What is this process	1) its temperature
commonly referred to as	2) nature of the body
Options:	3) kind and extent of its surface
1) Gas compression	4) All optons are correct
2) Phase compression	Correct Answer: All optons are correct
3) Dry compression	QID: 825 - Thermal diffusivity is
4) Wet compression	Options:
Correct Answer: Dry compression	1) a dimensionless parameter
QID: 821 - Property of a fluid at zero temperature is	2) function of temperature
referred to as	3) used as mathematical model
Options:	4) a physical property of the material
1) Stagnation property	Correct Answer: a physical property of the material
2) Standard property	QID: 826 - Condensing temperature in a refrigerator
3) Simple property	is the temperature
4) None of these	Options:
Correct Answer: Stagnation property	1) of cooling medium
QID: 822 - The increase in pressure	2) of freezing zone
Options:	3) of evaporator
1) lowers the boiling point of a liquid	4) at which refrigerant gas becomes liquid
2) raises the boiling point of a liquid	Correct Answer: at which refrigerant gas becomes
3) does not affect the boiling point of a liquid	liquid
4) reduces its volume	QID: 827 - With an increase in the thickness of
Correct Answer: raises the boiling point of a liquid	insulation around a circular pipe, heat loss to
QID: 823 - The overall efficiency of thermal power	surroundings due to
plant is	Options:
Options:	1) convection increases, where as due to conduction
1) Boiler efficiency, turbine efficiency and generator	decreases
efficiency	2) convection decreases, where as due to conduction
2) Boiler efficiency, turbine efficiency, generator	increases
efficiency and gas cycle efficiency	3) both convection and conduction decreases
3) Carnot cycle efficiency	4) both convection and conduction increases
4) Regenerative cycle efficiency	Correct Answer: convection increases, where as due
	to conduction decreases

**QID: 828** - For air with a relative humidity of 80%

\_\_\_\_·

## Options:

- 1) dry bulb temperature is less than the wet bulb temperature
- 2) dew point temperature is less than wet bulb temperature
- 3) dew point and wet bulb temperatures are equal
- 4) dry bulb and dew point temperatures are equal

**Correct Answer:** dew point temperature is less than wet bulb temperature

**QID**: **829** - If a mass of moist air in an airtight vessel is heated to a higher temperature, then \_\_\_\_\_.

## **Options:**

- 1) specific humidity of the air increases
- 2) specific humidity of the air decreases
- 3) relative humidity of the air increases
- 4) relative humidity of the air decreases

**Correct Answer:** relative humidity of the air decreases

**QID**: **830** - In a vapour compression refrigeration system, liquid to suction heat exchanger is used to

## **Options:**

- 1) keep the COP constant
- 2) prevent the liquid refrigerant from entering the compressor
- 3) sub-cool the liquid refrigerant leaving the condenser
- **4**) sub-cool the vapour refrigerant from the evaporator

**Correct Answer:** sub-cool the liquid refrigerant leaving the condenser

**QID**: **831** - A right-circular cylinder open at top is filled with water and rotated about its vertical axis at such speed that half the water spills out. What is the value of pressure at centre of the bottom?

#### **Options:**

1) One half its value when cylinder was full

- 2) One fourth its value when cylinder was full
- 3) Zero
- 4) Insufficient data

Correct Answer: Zero

QID: 832 - At a point on a streamline, the velocity is 3 m/sec and the radius of curvature is 9 m. If the rate of increase of velocity along the streamline at this point is 1/3 m/sec/m, then the total acceleration at this point would be \_\_\_\_\_.

#### Options:

- 1) 1 m/sec2
- 2) 3 m/sec2
- 3) 1/3 m/sec2
- **4**) √2 m/sec2

**Correct Answer:** √2 m/sec2

**QID**: 833 - Which of the following statements is correct regarding an impulse turbine?

#### **Options:**

- 1) The steam is initially compressed in a nozzle from low pressure to high pressure.
- 2) The steam is initially expanded in a nozzle from low pressure to high pressure.
- **3**) The steam is initially compressed in a nozzle from high pressure to low pressure.
- **4**) The steam is initially expanded in a nozzle from high pressure to low pressure.

**Correct Answer:** The steam is initially expanded in a nozzle from high pressure to low pressure.

QID: 834 - A draft tube is used with \_\_\_\_\_.

## Options:

- 1) impulse turbine
- 2) Pelton wheel turbine
- 3) reaction turbines
- 4) axial turbine pumps

**Correct Answer:** reaction turbines

**QID**: **835** - For Newtonian fluid behaviour, the shear stress exerted by the fluid is equal to the \_\_\_\_\_.

## **Options:**

- 1) Fluid viscosity divided by the velocity gradient parallel to the direction of shear.
- **2**) Fluid viscosity divided by the velocity gradient perpendicular to the direction of shear.
- **3**) Product of the fluid viscosity and the velocity gradient parallel to the direction of shear.
- **4**) Product of the fluid viscosity and the velocity gradient perpendicular to the direction of shear.

**Correct Answer:** Product of the fluid viscosity and the velocity gradient perpendicular to the direction of shear.

**QID**: **836** - Which of the following are the advantages of impulse turbine over reaction turbines?

- A. Occupies less space per unit power.
- B. Compounding is not necessary for speed reduction as the rotor speeds are usually low.
- C. Suitable for high power generation.

## **Options:**

- 1) B and C only
- 2) A only
- 3) C only
- 4) A and C only

Correct Answer: B and C only

**QID**: **837** - The compressors used in a gas turbine are typically of which type?

#### **Options:**

- 1) Centrifugal
- 2) Centripetal
- 3) Reciprocating
- 4) Axial

Correct Answer: Reciprocating

**QID**: **838** - Which turbine is also called as the propeller turbine?

#### **Options:**

1) Kaplan turbine

- 2) Francis turbine
- 3) Pelton wheel
- 4) Thompson turbine

Correct Answer: Kaplan turbine

**QID**: **839** - According to Bernoulli's principle in fluid dynamics, for inviscid flow, increase in speed of fluid leads to which of the following?

## Options:

- Increase in pressure and/or increase in fluid's potential energy
- Decrease in pressure and/or increase in fluid's potential energy
- 3) Increase in pressure and/or decrease in fluid's potential energy
- Decrease in pressure and/or decrease in fluid's potential energy

**Correct Answer:** Decrease in pressure and/or decrease in fluid's potential energy

QID: 840 - The material commonly used for air craft gas turbine is \_\_\_\_\_.

## **Options:**

- 1) stainless steel
- 2) high alloy steel
- 3) duralumin
- 4) titanium

Correct Answer: duralumin

**QID**: **841** - The difference of absolute pressure and local atmospheric pressure is known as \_\_\_\_\_.

#### **Options:**

- 1) Negative pressure
- 2) Positive pressure
- 3) Gauge pressure
- 4) Hydraulic pressure

Correct Answer: Gauge pressure

**QID: 842** - The sum of pressure head and elevation head is known as

# **Options:** 1) dynamic head 2) static head 3) direct head 4) potential head Correct Answer: static head QID: 843 - Specific gravity is defined as the ratio of density of fluid and density of water at which temperature (in °C)? **Options:** 1)0 **2**) 100 3) 4 4) It is not dependent on temperature **Correct Answer: 4** QID: 844 - Falling drops of water become spheres due to the property of \_\_\_\_\_. **Options:** 1) adhesion 2) cohesion 3) surface tension 4) viscosity Correct Answer: surface tension QID: 845 - Fluid flow in a straight circular pipe is typically laminar in nature when the Reynolds number is \_\_\_\_\_. **Options:**

1) Less than 2300

2) Less than 4000
 3) More than 2300
 4) More than 4000

Correct Answer: Less than 2300

**QID**: **846** - The reduction in fluid pressure that results when a fluid flows through a constricted section of a pipe is known as \_\_\_\_\_.

## **Options:**

- 1) Orifice effect
- 2) Bernoulli's principle
- 3) Secondary flow
- 4) Venturi effect

Correct Answer: Venturi effect

QID: 847 - For a compressible flow, Mach Number (M) is given by which of the following expression? where v = velocity of fluid in compressible flow c = speed of sound in air

## **Options:**

1) M =  $v/\sqrt{c}$ 



3) M = v/c

**4**) M = v/c2

Correct Answer: M = v/c

**QID**: 848 - Which type of forces dominates a fluid flow with a very high Reynolds Number (Re ≈ 10000)?

#### **Options:**

- 1) Inertial
- 2) Viscous
- 3) Reaction
- 4) Divergent

Correct Answer: Inertial

QID: 849 - To avoid cavitation in centrifugal pumps

#### **Options:**

1) suction pressure should be low

2) delivery pressure should be low

3) suction pressure should be high

4) delivery pressure should be high

Correct Answer: suction pressure should be high

QID: 850 -

For the continuity equation given by  $\overrightarrow{\nabla}$ .  $\overrightarrow{V}$  = where  $\overrightarrow{V}$  is the velocity vector, which one of is a necessary condition?

दी गई,  $\vec{V}$ .  $\vec{V} = 0$  कंटीन्यूटी समीकरण की वै जहां  $\vec{V}$  वेग सदिश है, निम्नलिखित में से कौन शर्त है?

## **Options:**

1) Steady flow

2) Irrotational flow

3) Inviscid flow

4) Incomprehensible flow

Correct Answer: Incomprehensible flow

QID: 851 -

Match the items in List 1 and 2.

सूची-1 और सूची-2 का मिलान करें।

	List-1 सूची-1		List-2 सूची-2
Α	Compressible flow संपीड्य प्रवाह	1	Reynolds number रेनॉल्ड्स संख्या
В	Free surface flow मुक्त पृष्ठ प्रवाह	2	Nusselt number नुसेल्ट संख्या
С	Boundary layer flow परिसीमा पृष्ठ प्रवाह	3	Weber number वेबर संख्या
D	Pipe flow नलिका प्रवाह	4	Froude number फ्रोड़ संख्या
E	Heat convection उष्मा संवहन	5	Match number मैच संख्या
		6	Skin friction coefficient उपरिस्तर (स्किन) घर्षण गुणांक

## **Options:**

1) A-1, B-4, C-2, D-6; E-3

2) A-3, B-4, C-6, D-1; E-2

3) A-5, B-3, C-6, D-1; E-4

4) A-5, B-3, C-6, D-1; E-2

Correct Answer: A-5, B-3, C-6, D-1; E-2

QID: 852 -

Match the items in List 1 and 2.

सूची-1 और सूची-2 का मिलान करें।

	List-1 सूची-1		List-2 सूची-2
Α	Centrifugal compressor अपकेंद्री संपीड़क	1	Axial flow अक्षीय प्रवाह
В	Centrifugal pump अपकेंद्री पंप	2	Surging आरोही (सर्जिंग)
С	Pelton wheel पेल्टन चक्र	3	Priming प्राथमिक
D	Kaplan turbine काप्लान टरबाईन	4	Pure impulse शुद्ध आवेग

## Ор

1) A-2, B-3, C-4, D-1

2) A-2, B-3, C-1, D-4

3) A-3, B-4, C-1, D-2

4) A-1, B-2, C-3, D-4

Correct Answer: A-2, B-3, C-4, D-1

**QID**: **853** - A fluid whose shear stress is linearly proportional to the velocity gradient in the direction perpendicular to the plane of shear is called as

#### **Options:**

- 1) Friction fluid
- 2) Stress fluid
- 3) Newtonian fluid
- 4) Cartesian fluid

Correct Answer: Newtonian fluid  QID: 854 - Euler's equation for the motion of liquid assumes that	QID: 858 - The stress, which is responsible for retaining water in a capillary tube above the free water surface of the water body in which the capillary
	tube is inserted, is called the
Options:	
1) Fluid is viscous	Options:
2) Fluid is homogeneous and incompressible	1) Capillary compression
3) Velocity of flow is non-uniform over the section	2) Capillary tension
4) Flow is unsteady along with stream line	3) Capillary pore pressure
Correct Answer: Fluid is homogeneous and	4) None of these
incompressible	Correct Answer: Capillary tension
QID: 855 - A flow whose stream line is represented	QID: 859 - A flow whose stream line is represented
by a curve, is called	by a curve, is called
,	<del></del>
Options:	Options:
1) One-dimensional flow	1) One-dimensional flow
2) Three dimensional flow	2) Three dimensional flow
3) Two-dimensional flow	3) Two-dimensional flow
4) Four-dimensional flow	4) Four-dimensional flow
Correct Answer: Two-dimensional flow	Correct Answer: Two-dimensional flow
QID: 856 - The frictional resistance of a pipe varies	QID: 860 - A single speed centrifugal pump, feeding
approximately withof the liquid.	a small water supply distribution system of a block of
	houses, works at
Options:	
1) pressure	Options:
2) square of velocity	1) Maximum efficiency
3) velocity	2) Minimum efficiency
4) cube of the velocity	3) Reduced efficiency
Correct Answer: square of velocity	4) None of these
QID: 857 - The cavitation in a hydraulic machine is	Correct Answer: Reduced efficiency
mainly due to	QID: 861 - In under-damped vibrating system, the
	amplitude of vibration with reference to time
Options:	
1) Low velocity	Options:
2) Low pressure	1) increases linearly
3) High velocity	2) increases exponentially
4) High pressure	3) decreases linearly
Correct Answer: Low pressure	4) decreases exponentially

**Correct Answer:** decreases exponentially

**QID**: **862** - A three rotor system has following number of natural frequencies \_\_\_\_\_.

## **Options:**

**1**) 1

**2**) 2

**3**) 3


**4**) 4

**Correct Answer: 2** 

QID: 863 -

The figure given below shows a crusher having several ers of weight W. The crushing force due to each roller v

नीचे दर्शाई गई आकृति में, संदलित्र में भार w के कुछ बेलनाकार भ रोलर का संदलन बल कितना होगा?



#### **Options:**

- 1) W
- 2) less than W
- 3) more than W
- 4) unpredictable

Correct Answer: more than W

**QID**: **864** - The principle of direct and reverse cranks is readily applicable to \_\_\_\_\_.

#### **Options:**

- 1) primary balance
- 2) secondary balance

- 3) balancing of in-line engines
- 4) partial primary balance

Correct Answer: partial primary balance

QID: 865 - In order to facilitate the starting of locomotive in any position, the cranks of a locomotive with two cylinders are placed at following angle to each other \_\_\_\_\_.

## **Options:**

- 1) 45°
- **2**) 90°
- **3**) 135°
- **4**) 180°

Correct Answer: 90°

QID: 866 - The critical speed depends on \_\_\_\_\_.

## **Options:**

- 1) mass
- 2) stiffness
- 3) mass and stiffness
- 4) mass, stiffness and eccentricity

Correct Answer: mass and stiffness

QID: 867 - If a more stiff spring is used in Hartnell governor, then the governor will be \_\_\_\_\_.

#### **Options:**

- 1) more sensitive
- 2) less sensitive
- 3) sensitively remains unaffected
- 4) isochronous

Correct Answer: less sensitive

QID: 868 - A gear having 100 teeth is fixed and another gear having 25 teeth revolves around it, the centre lines of both gears being joined by an arm. How many revolutions will be made by gear of 25 teeth for one revolution of arm?

## **Options:** 3) Root circle 1)4 4) Prime circle Correct Answer: Base circle **2**) 3 QID: 872 - The following is the inversion of slider crank mechanism **3**) 5 A. Whitworth quick return mechanism B. Hand pump 4) 6 C. Oscillating cylinder engine **Correct Answer:** 5 **Options:** QID: 869 - The power transmitted by a belt is maximum when the maximum tension in the belt 1) only A compared to centrifugal tension is \_\_\_\_\_. 2) only B 3) only C **Options:** 4) A, B and C **1**) 2 times Correct Answer: A, B and C **2**) 3 times QID: 873 - The horse power transmitted by a belt is **3**) 4 times dependent upon 4) 2.5 times A. tension on tight side of belt B. tension on slack side of belt Correct Answer: 3 times QID: 870 - A rotating mass having moment of inertia C. radius of pulley of 30 kgm2 rotates at 800 rpm and is travelling in a D. speed of pulley curve of 170 metre radius at a speed of 240 km/hr. It will experience a gyroscopic reaction of \_\_\_\_\_. **Options: Options:** 1) only A and B 1) 10 m kgf 2) only B and C 3) only D 4) A, B, C and D 2) 100 m kgf Correct Answer: A, B, C and D 3) 1000 m kgf **QID: 874** - Which of the following is a lower pair? A. Ball and socket 4) 10000 m kgf B. Piston and cylinder Correct Answer: 100 m kgf C. Cam and follower QID: 871 - Throw of a cam is the maximum distance of the follower from: **Options: Options:** 1) only A 1) Base circle 2) only B 2) Pitch circle 3) only C **4**) A and B

Correct Answer: A and B	QID: 879 - For steel, the ultimate strength in shear as
QID: 875 - The distance between the centres of the	compared to ultimate strength in tension is
rivets in adjacent rows of zigzag riveted joint is known	Options:
as	1) same
	<b>2</b> ) 1/2
Options:	
1) pitch	<b>3</b> ) 1/3
2) back pitch	
3) diagonal pitch	<b>4</b> ) 2/3
4) diametric pitch	Correct Answer: 2/3
Correct Answer: diagonal pitch	QID: 880 - In a simply supported beam, where the
QID: 876 - A body is resting on a plane inclined at	shear force is zero, the bending moment will be
angle 30° to horizontal. What force would be required	
to slide it down, if the coefficient of friction between	
body and plane is 0.3?	Options:
	1) zero
Options:	2) maximum
1) Zero	3) minimum
2) 1 kg	4) zero or minimum
<b>3</b> ) 5 kg	Correct Answer: maximum
4) None of these	QID: 881 - The stress in a body due to suddenly
Correct Answer: Zero	applied load compared to when it is applied gradually
QID: 877 - A satellite is kept on moving in its orbit	is
around the earth due to	
Options:	Options:
1) centrifugal force	1) same
2) centripetal force	2) half
3) gravitational force	3) two times
4) resultant forces acting on satellite	4) four times
Correct Answer: centripetal force	Correct Answer: two times
QID: 878 - The tension in the cable supporting a life	QID: 882 - Modulus of rigidity is defined as the ratio
is more when the lift is	of
Options:	
1) moving downwards with uniform velocity	Options:
2) moving upwards with uniform velocity	1) longitudinal stress and longitudinal strain
3) stationary	2) volumetric stress and volumetric strain
4) moving upwards with acceleration	3) lateral stress and lateral strain
Correct Answer: moving upwards with acceleration	4) shear stress and shear strain

Correct Answer: shear stress and shear strain QID: 883 - The intensity of stress which causes unit strain is called \_\_\_\_\_. **Options:** 1) unit stress 2) bulk modulus 3) modulus of rigidity 4) modulus of elasticity **Correct Answer:** modulus of elasticity QID: 884 - The property of a material by virtue of which a body returns to its original shape after removal of the load is called \_\_\_\_\_. **Options:** 1) Plasticity 2) Elasticity 3) Ductility 4) Malleability **Correct Answer:** Elasticity QID: 885 - For which material the Poisson's ratio is more than unity? A. steel B. copper C. aluminium D. cast iron **Options:** 1) only A 2) only B 3) only C 4) None of these Correct Answer: None of these QID: 886 - A beam is loaded as cantilever. If the load at the end is increased, the failure will occur \_\_\_\_\_. **Options:** 1) in the middle 2) at the tip below the load

3) at the support

4) anywhere

Correct Answer: at the support

QID: 887 - At the principal planes \_\_\_\_\_.

**Options:** 

1) the normal stress is maximum or minimum and the shear stress is zero

2) the tensile and compressive stresses are zero

3) the tensile stress is zero and the shear stress is maximum

4) no stress acts


Correct Answer: the normal stress is maximum or

minimum and the shear stress is zero

QID: 888 -

Two wires AO and BO support a vertical load W at O as sho figure below. The wires are of equal length and equal cross area. The tension in each wire is equal to:

नीचे दी गई आकृति के अनुसार AO और BO दो तार एक लम्बवत भार w समर्थित करते हैं। तार समान लंबाई और समान अनुप्रस्थ काट (क्रॉस सेक के हैं। प्रत्येक तार में तनाव किसके बराबर होगा?



## **Options:**

1) W/2

**2**) W

**3**) √2W


**4**) W/√2

Correct Answer: W/√2

QID: 889 -

A weight of 500 kg is held on a smooth plane, inclined horizontal by a force P acting  $30^{\circ}$  above the plane as sl figure below. The reaction of plane on the weight will k

नीचे दी गई आकृति के अनुसार एक 500 कि.ग्रा. का भार एक चिक क्षैतिज से 30° पर झुके हुए तल में बल P द्वारा रखी हुई है। तल की भ प्रतिक्रिया होगी?



## **Options:**

1) 500 N

2) 250 N

3) 476 N


4) 288 N

Correct Answer: 288 N

QID: 890 -

Given figure shows a quick return mechanism. The crar clockwise uniformly. OA = 2 cm. OO' = 4 cm. The ratio o ward motion to that for return motion is:

दी गई आकृति में शीघ्र प्रतिवर्ती तंत्र दर्शाया गया है। क्रैंक OA एकस की सुई की दिशा में घूम रहा है। OA = 2 से.मी., OO' = 4 से.मी. आगे पीछे की ओर गति के समय में क्या अनुपात होगा?



**Options:** 

1) 0.5

**2**) 2

**3**) √2

**4**) 1

**Correct Answer: 2** 

**QID**: **891** - Binding wire used to support the joints for soldering is made of \_\_\_\_\_.

## **Options:**

1) aluminium

2) copper

3) soft iron

4) mild steel

Correct Answer: soft iron

QID: 892 - Which of the following is not a casting

process?

#### **Options:**

1) Carthias process

2) extrusion

3) semi-centrifuge method

4) slush process

Correct Answer: extrusion

**QID**: **893** - Carburising flame is used to weld metals

like \_\_\_\_\_.

## **Options:**

1) steel

2) copper and brass

3) aluminium, nickel, monel etc.,

4) carburised steel

Correct Answer: aluminium, nickel, monel etc.,

QID: 894 - The most commonly used flame in gas

welding is

A. Neutral

B. Oxidising

C. Carburising
Options:
1) only A
2) only B
3) only C
4) only A and B
Correct Answer: only A
QID: 895 - In braze welding, the filler metal is
A. Distributed by capillary attraction
B. Melted and deposited at the point where the weld
is to be made
C. Not required
Ontional
Options:
1) only A 2) only B
3) Both A and B
4) only C
Correct Answer: Both A and B
QID: 896 - Magnetic arc blow is
Options:
1) a recent welding technique
2) used to weld materials
3) occurs when welding near equator
4) phenomenon of occurrence of splatter because of
magnetic fields created in d.c. arc welding
Correct Answer: phenomenon of occurrence of
splatter because of magnetic fields created in d.c. arc
welding
QID: 897 - Preheating is essential in welding
Options:
1) high speed steel

2) stainless steel

4) german silver

3) cast iron

Correct Answer: cast iron

QID: 898 - Tool in the case of ultrasonic machining is

made of \_\_\_\_\_.

## **Options:**

- 1) HSS
- 2) diamond
- 3) brass or copper
- 4) stainless steel

Correct Answer: brass or copper

QID: 899 - Thread rolling is somewhat like \_\_\_\_\_

## Options:

- 1) cold extrusion
- 2) cold machining
- 3) cold rolling
- 4) cold forging

Correct Answer: cold rolling

**QID**: **900** - The fatigue strength of metal is improved by setting up compressive stresses in the surface by a process known as \_\_\_\_\_.

## **Options:**

- 1) lancing
- 2) shot-peening
- 3) hemming
- 4) slugging

Correct Answer: shot-peening